

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3021	command near2 string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:36
S2	472	command near2 string and (plural\$4 multipl\$4) with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:37
S3	475	command near2 string and (plural\$4 numerous multipl\$4) with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:37
S4	625	command near2 string and (plural\$4 numerous various different multipl\$4) with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:37
S5	695	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:45
S6	70	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:47
S7	73	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium same instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:47
S8	6	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 08:48
S9	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4) and analyz\$4 with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:22

S10	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:13
S11	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:05
S12	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and \ instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:25
S13	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:25
S14	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:26
S15	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:26

S16	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:27
S17	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and wildcard not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:28
S18	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:28
S19	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and ontology not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:34

S20	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:35
S21	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:35
S22	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and component with navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:36
S24	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and priority and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:36

S26	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:37
S27	4	command: near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:38
S28	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and wmi not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:38

S29	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and xml not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:38
S30	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and third adj party not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:39
S31	1	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and ado not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:42

S32	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:43
S33	4	command near2 string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 09:35
S34	23593	("windows management instrumentation" wmi) ("activex data object" ado) xml third adj party near format	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:45
S35	23372	pars\$4 near input and ("windows management instrumentation" wmi) ("activex data object" ado) xml third adj party near format	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:45
S36	23371	(pars\$4 near input) with ("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:46
S37	39	(pars\$4 near input) with (("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:47
S38	15	(pars\$4 near input) with (("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format)) and computer with readable with medium with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:50

S39	0	S38 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:47
S40	4	command near2 string and readable same medium and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:52
S41	4	command near2 string and readable same medium and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4 other) with (data information) with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:49
S42	1	command near2 string and readable same medium and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4 other) with (data information) with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and meta\$data not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:50
S43	2	(pars\$4 near input) with ("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format)) and computer with readable with medium with instruction and meta\$data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:50
S44	22	(pars\$4 near input) with ("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format)) and computer with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:50

S45	3	(pars\$4 near input) with ("windows management instrumentation" wmi) ("activex data object" ado) xml (third adj party near format)) and computer with instruction and meta\$data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 10:51
S46	4	S32 and S33 and S40 and S41	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:50
S47	4	("5467472" "6314460" "20020078000" "6658625").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:24
S48	1	S46 and S47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:04
S49	1	S11 and S47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:04
S50	0	S45 and S47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:04
S51	4	command near2 string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:37
S52	1	S47 and S51	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:06
S53	8	command near2 string and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:06
S54	1	S47 and S53	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:06
S55	18	command with string and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:08

S56	1	S47 and S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 11:07
S57	8	command near2 string and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:37
S58	4	command near2 string and readable with medium same instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:49
S59	4	command near2 string and (plural\$4 numerous various many "more than one" "one or more" different multipl\$4) with string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:50
S60	4	command near2 string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:50
S61	4	command near2 string and readable same medium and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:50

S62	4	command near2 string and readable same medium and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4 other) with (data information) with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:28
S63	1	S59 and S60 and S61 and S62 and (partial\$4 part\$4) with (resolv\$4 un\$resolv\$4) with (string input)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:55
S64	1	S59 and S60 and S61 and S62 and (partial\$4 complet\$4 in\$complet\$4 part\$4) with (resolv\$4 un\$resolv\$4) with (string input)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:56
S66	1	S59 and S60 and S61 and S62 and (partial\$4 complet\$4 in\$complet\$4 part\$4) with resolv\$4 with (string input)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:57
S67	4	S59 and S60 and S61 and S62 and (partial\$4 complet\$4 in\$complet\$4 part\$4) with (string input)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:57
S68	1	("5467472" "6314460" "20020078000" "6658625").pn. and resolv\$4 with (partial part\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 13:02
S69	1	("5467472" "6314460" "20020078000" "6658625").pn. and resolv\$4 with (partial part partly)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 13:02
S70	4	command near2 string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute charachteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and command with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:27

S71	1	command near2 string and readable same medium and instruction and string with (resolv\$4 un\$resolv\$4) and analy\$4 with string and conver\$5 with (data type) and (extend\$4 addition\$4) with information with (data type) and (property attribute characteristic) and quer\$4 and pars\$4 and operating with (environment system) and navigat\$4 and command with string and conver\$6 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:24
S72	1	("5467472" "6314460" "20020078000" "6658625").pn. and conver\$4 with data adj type	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:24
S73	22	command near2 string and receiv\$4 with string and conver\$4 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:37
S74	1	command near2 string and receiv\$4 with (plural\$4 multipl\$4) with string and conver\$4 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:28
S75	14	command near2 string and receiv\$4 with command with string and conver\$4 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:43
S76	0	command near2 string and receiv\$4 with command with string and conver\$4 with data adj type and resolv44 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:37
S77	1	command near2 string and receiv\$4 with command with string and conver\$4 with data adj type and resolv\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:37
S78	2	command near2 string and receiv\$4 with string and conver\$4 with data adj type and resolv\$4 with string not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:39
S79	2	command near2 string and resolv\$4 with string and conver\$4 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:40
S80	3	command near2 string and resolv\$4 with (command string) and conver\$4 with data adj type not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:45

S81	1	command near2 string and resolv\$4 with (command string) and conver\$4 with data adj type and meta\$data not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:46
S82	31	command near2 string and conver\$4 with data adj type and meta\$data not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:47
S83	14	command near2 string and conver\$4 with data adj type and meta\$data and receiv\$4 with (command string) not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:47
S84	10	command near2 string and conver\$4 with data adj type and meta\$data and receiv\$4 with (string) not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:51
S85	4	S83 not S84	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/03 10:51